



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product 39984 - Toluene (Sulphur free) extrapure, 99.5% -
[108-88-3]
Batch No 5538094
Analysis Date 10-Jul-2024
Date of Manufacture July 2024
Expiry Date/Re-Test Date July 2029
Molecular Formula C7H8
Molecular Weight 92.14

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99.5%	99.90%
Density (g/ml) @ 20°C	0.865-0.867	0.865
Refractive Index (20°C)	1.496-1.497	1.496
Boiling Range	110-111°C	110-111°C
Sulphur Compound (CS2)	max. 0.0005%	Passes

FRM/82/11/2/39984 Rev No. 1 Date 01/11/2015

Prepared by Rganesh

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.