



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product 72394 - Gelrite Gellan Gum - [71010-52-1]
Batch No 5567109
Analysis Date 12-May-2024
Date of Manufacture May 2024
Expiry Date/Re-Test Date May 2029

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off - white	Off-white
Appearance (Form)	Powder	Powder
pH (0.5% aq. solution)	5.0 - 7.5	6.2
Loss on drying	max. 15%	6.9%
Gelling temperature	35 - 40°C (2% soln)	40°C
Gel strength (2% gel)	min. 600 gm/cm2	1100 gm/cm2

FRM/82/11/4/72394 Rev No. 2 Date 11/02/2019

Prepared by Dhanashree

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.