



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	23184 - M9 Minimal Salts 5X
Batch No	5590801
Analysis Date	27-Jun-2024
Date of Manufacture	June 2024
Expiry Date/Re-Test Date	June 2027

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off-white	Complies
Appearance (Form)	Free flowing, homogeneous powder	Complies
Solubility	56.40 gm/liter	Complies
Solubility	Colorless, clear solution with no significant precipitate	Complies
pH (25°C)	6.8 ± 0.2	6.99 Complies
Prepared Medium Appearance after autoclaving (Clarity)	Clear with no significant precipitate	Complies
Prepared Medium Appearance after autoclaving (Colour)	Colourless	Complies
Cultural Response	Prepare the medium and dilute to 1X. Supplement with glucose as given in the directions. Incubate at 35 ± 2°C for 18-48 hours.	
Organism	Escherichia coli ATCC 25922	
Inoculum (cfu) 10-100	Growth : Good	Complies
Organism	Escherichia coli ATCC 23724	
Inoculum (cfu) 10-100	Growth : Good	Complies

FRM/82/11/3/23184 Rev No. 1 Date 19/08/2023

Prepared by Samrudhi

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)