



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	88410 - Cyclopentyl Methyl Ether (CPME) extrapure AR, 99% - [5614-37-9]
Batch No	5632223
Analysis Date	02-Mar-2024
Date of Manufacture	March 2024
Expiry Date/Re-Test Date	March 2029
Molecular Formula	C6H12O
Molecular Weight	100.16

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.91%
Density (g/ml) @ 20°C	0.862-0.864	0.862
Acidity (CH3COOH)	max. 0.001%	0.0006%
Peroxide (H2O2)	max. 0.005%	0.0008%
Water (KF)	max. 0.05%	0.04%
Stabilizer (Butylated hydroxy toluene (BHT))	max. 60ppm	Present

FRM/82/11/2/88410 Rev No. 1 Date 10/21/2020

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.