



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>96045 - Silver Nitrate ExiPlus, Multi-Compendial, 99.9% - [7761-88-8]</b>
<b>Batch No</b>	<b>5736120</b>
<b>Analysis Date</b>	04-Jun-2024
<b>Date of Manufacture</b>	June 2024
<b>Expiry Date/Re-Test Date</b>	June 2029
<b>Molecular Formula</b>	AgNO <sub>3</sub>
<b>Molecular Weight</b>	169.87

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of USP, BP	Passes
Appearance (Colour)	White	White
Appearance (Form)	Crystalline compound	Crystalline compound
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
Assay (T)	min. 99.9%	99.9%
Chloride (Cl)	max. 0.0005%	Passes
Free acid	Passes test	Passes
Substances not precipitated by HCl	max. 0.01%	Passes
Sulphate (SO <sub>4</sub> )	max. 0.0025%	Passes
Iron (Fe)	max. 0.0002%	Passes
Copper (Cu)	max. 0.0002%	Passes
Lead (Pb)	max. 0.001%	Passes
Potassium (K)	max. 0.01%	Passes
Sodium (Na)	max. 0.002%	Passes

FRM/82/11/4/96045 Rev No. 2 Date 25/04/2022

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.