



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**52917 - Magnesium AAS Standard Solution in 0.5N
HNO₃**

Batch No

5808698

Analysis Date

26-Oct-2023

Date of Manufacture

October 2023

Expiry Date/Re-Test Date

October 2026

Test Parameters

Standards

Actual Results

Appearance (Clarity)

Clear

Clear

Appearance (Colour)

Colourless

Colourless

Appearance (Form)

Liquid

Liquid

Concentration (Mg)

1000 ± 50 mg/Ltr

995.467 mg/ltr

Traceability

Which is traceable to Merck
product no. :- 1,19788,0100 ,
Lot no :- HC28860088, Which is
traceable to NIST SRM 3131a,
Lot 140110

FRM/82/11/4/52917 Rev No. 1 Date 02/07/2022

Prepared by Vivek

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.