



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	19196 - p-Aminobenzoic Acid ExiPlus, Multi-Compendial, 99% - [150-13-0]
Batch No	5862644
Analysis Date	25-Dec-2022
Date of Manufacture	December 2022
Expiry Date/Re-Test Date	December 2027
Molecular Formula	C7H7NO2
Molecular Weight	137.14

Test Parameters	Standards	Actual Results
ExiPlus	Meets compendial specs of USP, BP, Ph.Eur	Passes
Appearance (Colour)	White to off-white	Off-white
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 5% hot solution in Methanol	Clear	Clear
Solubility (Colour) 5% hot solution in Methanol	Pale yellow	Pale yellow
Assay (by Neutralization)	min. 99%	99.4%
Melting Point	185 - 188°C	187.6°C

FRM/82/11/4/19196 Rev No. 2 Date 05/07/2022

Prepared by Dnyaneshwar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company

This COA has been generated electronically and it is valid without signature.