



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

| | |
|---------------------------------|---|
| Product | 47405 - 3-Bromoanisole pure, 98% - [2398-37-0] |
| Batch No | 5934406 |
| Analysis Date | 03-Oct-2023 |
| Date of Manufacture | October 2023 |
| Expiry Date/Re-Test Date | October 2028 |
| Molecular Formula | C7H7BrO |
| Molecular Weight | 187.04 |

| Test Parameters | Standards | Actual Results |
|-------------------------|---------------------------|----------------|
| Appearance (Clarity) | Clear | Clear |
| Appearance (Colour) | Colourless to pale yellow | Pale Yellow |
| Appearance (Form) | Liquid | Liquid |
| Assay (GC) | min. 98% | 99.66% |
| Density (g/ml) @ 20°C | 1.489-1.493 | 1.490 |
| Refractive Index (20°C) | 1.563-1.564 | 1.563 |

FRM/82/11/2/47405 Rev No. 1 Date 01/11/2015

Prepared by Ashish

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)