



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	33866 - Folcisteine (ATCA, NATCA) technical grade, 99% - [5025-82-1/54323-50-1]
Batch No	6000923
Analysis Date	14-Nov-2022
Date of Manufacture	November 2022
Expiry Date/Re-Test Date	November 2027
Molecular Formula	C6H9NO3S
Molecular Weight	175.03

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off - white	White
Appearance (Form)	Powder	Powder
Assay	min. 99%	99.7%
Melting Point	142 - 149°C	144.5°C
Loss on drying	max. 0.5%	0.08%

FRM/82/11/4/33866 Rev No. 1 Date 09/08/2018

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.