



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	95786 - Alizarin Yellow GG, 90% - [584-42-9]
Batch No	6037132
Analysis Date	30-Aug-2021
Date of Manufacture	August 2021
Expiry Date/Re-Test Date	August 2026
Molecular Formula	C ₁₃ H ₈ N ₃ O ₅ Na
Molecular Weight	309.21

Test Parameters	Standards	Actual Results
Appearance (Colour)	Yellowish Orange to Brown	Yellowish Orange
Appearance (Form)	Powder	Powder
Dye content	min.90%	90.8%
Molar extinction coefficient in methanol		
@359-365nm	~20000	23074

FRM/82/11/4/95786 Rev No. 1 Date 30/08/2021

Prepared by **Dnyaneshwar**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.