



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>31104 - Coelenterazine Native (CLZN) ex. Aequorea Sp., 95% - [55779-48-1]</b>
<b>Batch No</b>	<b>6052102</b>
<b>Analysis Date</b>	24-Aug-2020
<b>Date of Manufacture</b>	August 2020
<b>Expiry Date/Re-Test Date</b>	August 2025
<b>Molecular Formula</b>	C <sub>26</sub> H <sub>21</sub> N <sub>3</sub> O <sub>3</sub>
<b>Molecular Weight</b>	423.46

Test Parameters	Standards	Actual Results
Appearance (Colour)	Slightly brownish yellow to yellow orange	Yellow orange
Appearance (Form)	Crystalline powder	Crystalline powder
Purity	min 95% by TLC	95%

FRM/82/11/4/31104 Rev No. 1 Date 20/08/2020

Prepared by **Sakshee**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.