



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product **11980 - Meat Peptone BactoBio for bacteriology**
Batch No **6068299**
Analysis Date 11-Apr-2024
Date of Manufacture April 2024
Expiry Date/Re-Test Date April 2027

Test Parameters	Standards	Actual Results
Appearance (Colour)	Light to medium tan	Complies
Appearance (Form)	Free flowing, homogeneous powder	Complies
Solubility (Colour) 2% aq. solution	Light to medium amber, clear	Complies
pH (25°C)	6.0 - 7.0 (2.0 %)	6.50 Complies
Stability (After autoclaving)	Light to medium amber, clear	Complies
Loss on drying	<= 5.0%	2.67% Complies
Nitrogen (N) content	12.0 % - 13.0%	Complies
NaCl	< 5.0%	Complies
Ash	< 10.0%	Complies
Total Aerobic microbial count	(By Plate Count Method) : < 10,000 cfu/gm	Complies
Cultural Response	Inoculate and incubate at 37°C for 18-24 hours with the following organisms	
Organism	Staphylococcus aureus ATCC 25923	
Inoculum (cfu) 10-100	Growth : Good	Complies
Organism	Escherichia coli ATCC 25922	
Inoculum (cfu) 10-100	Growth : Good	Complies
Organism	Salmonella typhimurium ATCC 14028	
Inoculum (cfu) 10-100	Growth : Good	Complies
Indole Production (0.1%)	Escherichia coli ATCC 25922 Growth : Good, Result : Positive	Complies
Hydrogen Sulphide Production (1.0%)	Salmonella typhimurium ATCC 14028 Growth : Good, Result : Positive	Complies
Fermentable carbohydrates (2%)	Escherichia coli ATCC 25922 Growth : Good, Result : Negative	Complies
Acetylmethylcarbinol Production	Enterobacter aerogenes ATCC 13048 Growth : Good, Result : Positive	Complies

FRM/82/11/3/11980 Rev No. 1 Date 07/06/2021

Prepared by Shikha

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.