



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**14941 - Cobalt (II) Nitrate Hexahydrate extrapure, 97% -
[10026-22-9]**

Batch No

6076015

Analysis Date

13-Mar-2024

Date of Manufacture

March 2024

Expiry Date/Re-Test Date

March 2029

Molecular Formula

Co(NO₃)₂·6H₂O

Molecular Weight

291.03

Test Parameters	Standards	Actual Results
Appearance (Colour)	Red	Red
Appearance (Form)	Crystalline compound	Crystalline compound
Assay (EDTA Titration)	min. 97%	99.3%
Chloride (Cl)	max. 0.005%	Passes
Sulphate (SO ₄)	max. 0.03%	Passes
Iron (Fe)	max. 0.01%	Passes
Potassium (K)	max. 0.01%	Passes

FRM/82/11/4/14941 Rev No. 2 Date 29/12/2022

Prepared by Prasad

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.