



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	22806 - Silicon Dioxide (Silica) Nanodispersion Type A (20nm), 40% in water - [7631-86-9]
Batch No	6097559
Analysis Date	20-Mar-2024
Date of Manufacture	March 2024
Expiry Date/Re-Test Date	March 2025
Molecular Formula	SiO ₂
Molecular Weight	60.08

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Hazy	Hazy
Appearance (Form)	Colloidal dispersion	Colloidal dispersion
APS	20 nm	20nm
Viscosity (20°C)	~25 cPs	25cPs
pH	~9.0	9.3
Concentration	40% in water	Passes

FRM/82/11/4/22806 Rev No. 3 Date 07/02/2022

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.