



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product 17996 - Aliquat 336, 88% - [63393-96-4]
Batch No 6120675
Analysis Date 16-Mar-2024
Date of Manufacture March 2024
Expiry Date/Re-Test Date March 2029
Molecular Formula C25H54ClN
Molecular Weight 404.16

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Pale yellow
Appearance (Form)	Viscous liquid	Viscous liquid
Assay (AT)	min.88%	89.2%
Density (g/ml) @ 20°C	0.887 - 0.890 g/ml	0.887 g/ml
Refractive Index (20°C)	1.466 - 1.467	1.467
Water (KF)	max. 5.0%	3.3%

FRM/82/11/4/17996 Rev No. 3 Date 27/12/2021

Prepared by Mayur

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.