



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	46448 - Universal Restriction Enzyme Buffer (10X)
Batch No	6172665
Analysis Date	03-Oct-2023
Date of Manufacture	October 2023
Expiry Date/Re-Test Date	October 2025

Test Parameters	Standards	Actual Results
Appearance (Form)	Liquid	Liquid
Appearance (Colour)	Colourless	Colourless
Appearance (Clarity)	Clear	Clear
Concentration	10X	10 X
Activity	Restriction digestion done with multiple restriction enzymes shows clear and complete digestion when incubated at 37°C for 1 hour.	Conforms
Absence of nucleases	No degradation seen when incubated overnight with the buffer	Conforms
Store at - 20°C	-20°C	Maintained

FRM/82/11/5/46448 Rev No. 1 Date 12/10/2023

Prepared by KalaiSelvi

In compliance with the standard specifications of SRL

Plant Site 3 : No. 21, Thomas Nagar, Little Mount, Chennai - 600 015, India.

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.