



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product **63365 - Antimony Trichloride extrapure AR, 99% - [10025-91-9]**
Batch No **6212714**
Analysis Date 03-Jun-2024
Date of Manufacture June 2024
Expiry Date/Re-Test Date June 2029
Molecular Formula SbCl₃
Molecular Weight 228.11

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline compound	Crystalline compound
Assay (Iodometric)	min. 99%	99.4%
Iron (Fe)	max. 0.002%	Passes
Heavy Metals (Pb)	max. 0.003%	Passes
Copper (Cu)	max. 0.0005%	Passes
Arsenic (As)	max. 0.0005%	Passes
Hydrochloric acid insoluble matter	max. 0.005%	Passes
Chloroform insoluble matter	max. 0.005%	Passes

FRM/82/11/4/63365 Rev No. 1 Date 01/11/2015

Prepared by **Mayur**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.