



SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>30746 - Phleomycin (PLM) Solution (20mg/mL in 20mM HEPES)</b>
<b>Batch No</b>	<b>6224106</b>
<b>Analysis Date</b>	19-Mar-2024
<b>Date of Manufacture</b>	March 2024
<b>Expiry Date/Re-Test Date</b>	March 2027
<b>Molecular Formula</b>	C55H86N20O21S2
<b>Molecular Weight</b>	1427.52

Test Parameters	Standards	Actual Results
Appearance (Colour)	Colourless to Blue	Pale Blue
Appearance (Form)	Liquid	Liquid
Absorbance @ 244 ±3nm (0.6mg/mL in 20mM HEPES Buffer @ pH 7.2)	min. 0.2	0.275

FRM/82/11/4/30746 Rev No. 1 Date 19/03/2024

Prepared by **Prajakta**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.