



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	56357 - Ammonium Tartrate Dibasic extrapure AR, 99% - [3164-29-2]
Batch No	6245905
Analysis Date	29-May-2024
Date of Manufacture	May 2024
Expiry Date/Re-Test Date	May 2029
Molecular Formula	C ₄ H ₁₂ N ₂ O ₆
Molecular Weight	184.15

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
Assay (HCl titration)	min. 99%	99.7%
pH (5% aq. solution)	6.0 - 7.0	6.80
Chloride (Cl)	max. 0.001%	Passes
Sulphate (SO ₄)	max. 0.005%	Passes
Iron (Fe)	max. 0.0002%	Passes
Heavy Metals (Pb)	max. 0.0001%	Passes
Sodium (Na)	max. 0.001%	Passes
Potassium (K)	max. 0.001%	Passes

FRM/82/11/4/56357 Rev No. 2 Date 09/07/2023

Prepared by Jayesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.