



SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>35241 - 3,3,5-Triiodo-L-Thyronine extrapure, 95% - [6893-02-3]</b>
<b>Batch No</b>	<b>6323693</b>
<b>Analysis Date</b>	27-Feb-2024
<b>Date of Manufacture</b>	February 2024
<b>Expiry Date/Re-Test Date</b>	February 2029
<b>Molecular Formula</b>	C <sub>15</sub> H <sub>12</sub> I <sub>3</sub> NO <sub>4</sub>
<b>Molecular Weight</b>	650.98

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off-white	White
Appearance (Form)	Powder	Powder
Assay	min. 95%	97.1%
Melting Point	234° - 238°C	234.3°C

FRM/82/11/4/35241 Rev No. 1 Date 01/11/2015

Prepared by Dnyaneshwar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.