SISCO RESEARCH LABORATORIES PVT. LTD.	Certificate of Analysis	
Product	35543 - Aluminium Hydroxide Gel extrapure AR, ExiPlus, Multi-Compendial - [21645-51-2]	
Batch No Analysis Date Date of Manufacture	6366074 16-Aug-2023 August 2023	-
Expiry Date/Re-Test Date	August 2028	
Molecular Formula	AI (OH)3	
Molecular Weight	78.0	
Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of IP	Passes
Appearance (Colour)	White to almost white	Almost white
Appearance (Form)	Light amorphous powder	Light amorphous powder
Assay (T)	47 - 60% (as Al2O3)	47.9%
pH (4% aq. suspension)	max.10.0	5.6

FRM/82/11/4/35543 Rev No. 2 Date 26/03/2022

In compliance with the standard specifications of SRL

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road, Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800 Prepared by Prajakta

1/1

Plant Site 2 : H-4, MIDC, Taloja - 410 208, Maharashtra, India

This COA has been generated electronically and it is valid without signature.

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company.