



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	90654 - Potassium Phosphate Dibasic Anhydrous pure, 99% - [7758-11-4]
Batch No	6512393
Analysis Date	25-Feb-2024
Date of Manufacture	February 2024
Expiry Date/Re-Test Date	February 2029
Molecular Formula	K ₂ HPO ₄
Molecular Weight	174.18

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline hygroscopic powder	Crystalline hygroscopic powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
Assay (by Neutralization)	min. 99%	99.8%
Loss on drying	max. 1%	0.3%
Chloride (Cl)	max. 0.005%	Passes
Sulphate (SO ₄)	max. 0.02%	Passes

FRM/82/11/4/90654 Rev No. 2 Date 05/07/2022

Prepared by Priti

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)