



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	22173 - Resorcinol ACS, ExiPlus, Multi-Compdial, 99% - [108-46-3]
Batch No	6568211
Analysis Date	29-Mar-2024
Date of Manufacture	March 2024
Expiry Date/Re-Test Date	March 2029
Molecular Formula	C6H6O2
Molecular Weight	110.11

Test Parameters	Standards	Actual Results
ExiPlus	meets compdial specs of BP	Passes
Appearance (Colour)	White to slight pink	White
Appearance (Form)	Crystals or flakes	Flakes
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Almost colourless	Almost colourless
Assay (GC)	min. 99%	99.8%
Melting Point	110 - 111°C	111°C
Sulphated Ash	max. 0.1%	0.07%
Diresorcinol	max. 0.005%	Passes
Phenol	max. 0.005%	Passes
Acidity	max. 0.1ml N%	0.08 ml N%
Alkalinity	max. 0.1 ml N%	Nil

FRM/82/11/4/22173 Rev No. 4 Date 05/02/2024

Prepared by **Prajakta**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.