



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product 25562 - MES4: ICP Noble Metals
Batch No 6581478
Analysis Date 04-Dec-2023
Date of Manufacture December 2023
Expiry Date/Re-Test Date December 2028

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow to reddish brown	Reddish brown
Appearance (Form)	Liquid	Liquid
Gold (Au)	100.0 ± 0.5 µg/mL	Passes
Iridium (Ir)	100.0 ± 0.5 µg/mL	Passes
Osmium (Os)	100.0 ± 0.5 µg/mL	Passes
Palladium (Pd)	100.0 ± 0.5 µg/mL	Passes
Platinum (Pt)	100.0 ± 0.5 µg/mL	Passes
Rhodium (Rh)	100.0 ± 0.5 µg/mL	Passes
Rubidium (Rb)	100.0 ± 0.5 µg/mL	Passes
Tellurium (Te)	100.0 ± 0.5 µg/mL	Passes

FRM/82/11/4/25562 Rev No. 3 Date 04/12/2023

Prepared by Prasad

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)