



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

**Product**

**66400 - Paraffin Wax w/ Ceresin Blocks, 58-60°C -  
[8002-74-2]**

**Batch No**

**6637706**

**Analysis Date**

17-Nov-2023

**Date of Manufacture**

November 2023

**Expiry Date/Re-Test Date**

November 2028

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to colourless mass, molten substance does not show fluorescence in daylight.	Colourless mass, molten substance does not show fluorescence in daylight.
Appearance (Form)	Block	Block
Odour	Odourless	Odourless
Solubility (Turbidity) 10% solution in warm Xylene	Almost clear	Clear
Solubility (Turbidity) 10% solution in warm Chloroform	Almost clear	Clear
Acidity or alkalinity	Passes Test	Passes
Solidification point	58° - 60°C	60°C
Sulphated Ash	max 0.05%	0.03%
Suitability for Histology	Passes Test	Passes

FRM/82/11/4/66400 Rev No. 1 Date 22/10/2023

Prepared by Yogesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.