



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	96011 - Veratrole pure, 98% - [91-16-7]
Batch No	6648037
Analysis Date	17-Feb-2024
Date of Manufacture	February 2024
Expiry Date/Re-Test Date	February 2029
Molecular Formula	C8H10O
Molecular Weight	138.17

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 98%	99.54%
Density (g/ml) @ 20°C	1.085-1.087	1.085
Refractive Index (20°C)	1.532-1.534	1.534

FRM/82/11/2/96011 Rev No. 1 Date 01/11/2015

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.