



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product

**59415 - Lanthanum Oxide extrapure, 99.9% -
[1312-81-8]**

Batch No

6717154

Analysis Date

23-Jun-2024

Date of Manufacture

June 2024

Expiry Date/Re-Test Date

June 2029

Molecular Formula

La₂O₃

Molecular Weight

325.81

Test Parameters

Standards

Actual Results

Appearance (Colour)

White to Almost White

White

Appearance (Form)

Powder

Powder

Solubility (Turbidity) 2% solution
in 5N HCl

Clear to slightly hazy

Slightly hazy

Assay (EDTA Titration, After
ignition)

min. 99.9%

99.9%

Calcium (Ca)

max. 0.02%

Passes

FRM/82/11/4/59415 Rev No. 4 Date 01/06/2023

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.