



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>61500 - Dextrin (White) practical - [9004-53-9]</b>
<b>Batch No</b>	<b>6728162</b>
<b>Analysis Date</b>	31-Jul-2022
<b>Date of Manufacture</b>	July 2022
<b>Expiry Date/Re-Test Date</b>	July 2027

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off white	White
Appearance (Form)	Powder	Powder
Loss on drying	max. 10%	9%
Sulphated Ash	max. 0.2%	0.1%
Reducing sugars (C6H12O6)	max 4%	3.8%

FRM/82/11/4/61500 Rev No. 2 Date 26/10/2019

Prepared by Nilesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company

This COA has been generated electronically and it is valid without signature.