SISCO RESEARCH LABORATORIES PVT. LTD.	Certificate of Analysis	
Product	78349 - Protamine Sulfate for molecular biology, 90-110% - [9009-65-8]	
Batch No Analysis Date Date of Manufacture Expiry Date/Re-Test Date	6812538 20-Feb-2024 February 2024 February 2029	
Test Parameters	Standards	Actual Results
Appearance (Colour)	White to almost white	White
Appearance (Form)	Powder	Powder
Solubility (Turbidity) 1% aq. solution	Clear	Clear
Solubility (Colour) 1% aq. solution	Colourless	Colourless
Assay (HPLC) (on dried basis)	90.0-110.0%	95.2%
Absorbance (A) of 1% aq. solution in a 1cm cell v/s H2O		
@260nm	max. 0.1	0.022
@280nm	max. 0.1	0.014
Loss on drying at 105°C	max. 5%	3.4%
Iron (Fe)	max. 0.001%	Passes
DNase, RNase, Protease	Not detected	Not detected

FRM/82/11/4/78349 Rev No. 1 Date 21/02/2024

In compliance with the standard specifications of SRL

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road, Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800 Prepared by Dhanashree

Plant Site 2 : H-4, MIDC, Taloja - 410 208, Maharashtra, India

1/1

This COA has been generated electronically and it is valid without signature.

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company