



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	74635 - PAN Indicator (1(2-Pyridylazo)-2- Naphthol) extrapure AR, 99% - [85-85-8]
Batch No	6840856
Analysis Date	28-Aug-2023
Date of Manufacture	August 2023
Expiry Date/Re-Test Date	August 2028
Molecular Formula	C ₁₅ H ₁₁ N ₃ O
Molecular Weight	249.27

Test Parameters	Standards	Actual Results
Appearance (Colour)	Brick red to Orange brown	Brick red
Appearance (Form)	Powder	Powder
Assay (UV)	min. 99%	99.5%
Melting Point	138 - 140°C	139.2°C
Suitability as a Complexometric Indicator	Passes test	Passes

FRM/82/11/4/74635 Rev No. 3 Date 20/12/2022

Prepared by Yogesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.