



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	48918 - Pyridinium Chlorochromate (PCC) extrapure, 98% - [26299-14-9]
Batch No	6904809
Analysis Date	22-Dec-2022
Date of Manufacture	December 2022
Expiry Date/Re-Test Date	December 2027
Atomic Formula	C ₅ H ₆ N.ClCrO ₃
Atomic Weight	215.56

Test Parameters	Standards	Actual Results
Appearance (Colour)	Orange to reddish - brown	Reddish brown
Appearance (Form)	Powder	Powder
Assay	min. 98%	99.2%
Melting Point	~204°C	203.9°C
Loss on drying	max. 0.5%	0.4%

FRM/82/11/4/48918 Rev No. 1 Date 09/12/2017

Prepared by Prasad

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.