



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product **92604 - Cyclohexane Dried, 99.5%, water 0.005% - [110-82-7]**
Batch No **6999034**
Analysis Date 16-Mar-2024
Date of Manufacture March 2024
Expiry Date/Re-Test Date March 2029
Molecular Formula C6H12
Molecular Weight 84.16

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Colour (APHA)	max. 10	Passes
Assay (GC)	min. 99.5%	99.99%
Density (g/ml) @ 20°C	0.777-0.779	0.777
Refractive Index (20°C)	1.425-1.426	1.425
Boiling Range	80-81°C	80-81°C
Freezing Point	6-7°C	6°C
Non Volatile Matter	max. 0.001%	0.0002%
Acidity (HCl)	max. 0.001%	0.0004%
Substance Discoloured by H2SO4	Passes test	Passes
Water (KF)	max. 0.005%	0.002%

FRM/82/11/2/92604 Rev No. 1 Date 01/11/2015

Prepared by Ashish

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.