



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	48218 - Potassium Thiocyanate pure, 97% - [333-20-0]
Batch No	7103373
Analysis Date	04-Jan-2024
Date of Manufacture	January 2024
Expiry Date/Re-Test Date	January 2029
Molecular Formula	KSCN
Molecular Weight	97.18

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline hygroscopic compound	Crystalline hygroscopic compound
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
Assay (ex Cl)	min. 97%	99.2%
pH (10% aq. solution)	5.5 - 8.0	5.6
Chloride (Cl)	max. 0.01%	Passes
Sulphate (SO ₄)	max. 0.05%	Passes
Iron (Fe)	max. 0.0005%	Passes

FRM/82/11/4/48218 Rev No. 1 Date 01/11/2015

Prepared by **ThakurRohit**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.