



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	30917 - Oxalacetic Acid for cell culture, 98% - [328-42-7]
Batch No	7146628
Analysis Date	19-Aug-2021
Date of Manufacture	August 2021
Expiry Date/Re-Test Date	August 2026
Molecular Formula	C ₄ H ₄ O ₅
Molecular Weight	132.07

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off-white	White
Appearance (Form)	Crystalline powder	Crystalline powder
Assay (T)	min. 98%	98.8%
Water (KF)	max. 0.5%	0.2%
Suitability for Cell Culture	Passes test	Passes
Bacterial Endotoxin Test (BET) (EU/mg = IU/mg)	<0.05 EU/mg	Passes

FRM/82/11/4/30917 Rev No. 1 Date 23/08/2021

Prepared by Nishant

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.