



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	94663 - Hygromycin B (HGR Solution), 50mg/ml in Aq. Solution - [31282-04-9]
Batch No	7201081
Analysis Date	22-Feb-2024
Date of Manufacture	February 2024
Expiry Date/Re-Test Date	February 2026
Molecular Formula	C ₂₀ H ₃₇ N ₃ O ₁₃
Molecular Weight	527.52

Test Parameters	Standards	Actual Results
Appearance (Colour)	Light yellow to very dark yellow to brown-yellow or light orange to very dark orange	Light yellow
Appearance (Form)	Liquid	Liquid
Appearance (Clarity)	Clear to slight hazy	Clear
Concentration	45-55 mg/ml	48.25 mg/ml
Purity	min.90%	96.5%

FRM/82/11/4/94663 Rev No. 1 Date 22/02/2024

Prepared by Jayesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.