



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

# Certificate of Analysis

<b>Product</b>	<b>39236 - n-Propanol pure, 99% - [71-23-8]</b>
<b>Batch No</b>	<b>7206133</b>
<b>Analysis Date</b>	28-May-2024
<b>Date of Manufacture</b>	May 2024
<b>Expiry Date/Re-Test Date</b>	May 2029
<b>Molecular Formula</b>	C3H8O
<b>Molecular Weight</b>	60.10

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.93%
Density (g/ml) @ 20°C	0.803-0.805	0.803
Refractive Index (20°C)	1.385-1.386	1.385
Boiling Range	96-98°C	96-98°C
Non Volatile Matter	max. 0.005%	0.0005%
Acidity (C3H6O2)	max. 0.002%	0.0007%
Water (KF)	max. 0.2%	0.05%

FRM/82/11/2/39236 Rev No. 1 Date 01/11/2015

Prepared by Ashish

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)