



SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

**Product**

**63214 - Indium AAS Standard Solution in 1N HCl  
(Traceable to NIST)**

**Batch No**

**7217316**

**Analysis Date**

29-Jun-2024

**Date of Manufacture**

June 2024

**Expiry Date/Re-Test Date**

June 2027

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Concentration (In)	1000 ± 50 mg/Ltr	975 mg/Ltr
Traceability	Traceable to NIST	Traceable to NIST SRM No. 3168a, Lot No.120629

FRM/82/11/4/63214 Rev No. 2 Date 07/03/2024

Prepared by Yogesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)