



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

19710 - Tin AAS Standard Solution in 2N HCl (Traceable to NIST)

Batch No

7295636

Analysis Date

30-May-2024

Date of Manufacture

May 2024

Expiry Date/Re-Test Date

May 2027

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to light yellow	Colourless
Appearance (Form)	Liquid	Liquid
Concentration (Sn)	1000 ± 50 mg /Ltr	957 mg/Ltr
Traceability	Traceable to NIST	Which is Traceable to SRM Lot No. HC02984142 NIST

FRM/82/11/4/19710 Rev No. 2 Date 07/03/2024

Prepared by **Prajakta**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)