



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	54492 - L-Lactic Acid 0.1N Solution - [79-33-4]
Batch No	7302042
Analysis Date	14-Mar-2024
Date of Manufacture	March 2024
Expiry Date/Re-Test Date	March 2026
Molecular Formula	C ₃ H ₆ O ₃
Molecular Weight	90.08

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Normality (N)	0.1000 ± 0.005	0.0971 N

FRM/82/11/4/54492 Rev No. 1 Date 12/26/2019

Prepared by **Prajakta**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.