



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	73106 - Ethyl Acetate GC-HS, 99.9% - [141-78-6]
Batch No	7332495
Analysis Date	09-Jan-2024
Date of Manufacture	January 2024
Expiry Date/Re-Test Date	January 2029
Molecular Formula	C4H8O2
Molecular Weight	88.11

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Colour (APHA)	max. 10	Passes
Assay (GC)	min. 99.9%	99.96%
Density (g/ml) @ 20°C	0.899- 0.901	0.899
Refractive Index (20°C)	1.371-1.372	1.371
Boiling Range	76-77°C	76-77°C
Non Volatile Matter	max. 0.0001%	0.0001%
Acidity (CH3COOH)	max. 0.005%	0.0005%
Water (KF)	max. 0.05%	0.02%

FRM/82/11/2/73106 Rev No. 1 Date 01/11/2015

Prepared by **Sujit**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.