



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

68451 - Deoxyribonucleic Acid Sodium Salt (DNA Sodium Salt Highly Polymerized) ex. Calf Thymus extrapure - [73049-39-5]

Batch No

7386855

Analysis Date

17-Aug-2023

Date of Manufacture

August 2023

Expiry Date/Re-Test Date

August 2028

Test Parameters	Standards	Actual Results
Appearance (Colour)	White fibrous	White fibrous
Appearance (Form)	Substance	Substance
Nitrogen (N)	~13.0 %	13.0%
Phosphorus content	~8.0%	8.0%
Absorbance (A) of 1% solution (pH 7.0) in a 1 cm cell v/s buffer		
@260nm	130 - 180	131.2
Electrophoresis test	Passes test	Passes

FRM/82/11/4/68451 Rev No. 1 Date 05/14/2018

Prepared by Jayesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.