



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>59029 - Methanol pure, 99% - [67-56-1]</b>
<b>Batch No</b>	<b>7476645</b>
<b>Analysis Date</b>	04-Jul-2024
<b>Date of Manufacture</b>	July 2024
<b>Expiry Date/Re-Test Date</b>	July 2029
<b>Molecular Formula</b>	CH <sub>4</sub> O
<b>Molecular Weight</b>	32.04

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.95%
Density (g/ml) @ 20°C	0.790-0.792	0.790
Refractive Index (20°C)	1.328-1.329	1.328
Boiling Range	64-65°C	64-65°C
Non Volatile Matter	max. 0.005%	0.0002%
Acidity (CH <sub>3</sub> COOH)	max. 0.002%	0.0006%
Water (KF)	max. 0.1%	0.09%

FRM/82/11/2/59029 Rev No. 3 Date 20/07/2022

Prepared by Ashish

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)