



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	24923 - p-Xylene pure, 99% - [106-42-3]
Batch No	7681625
Analysis Date	20-Feb-2024
Date of Manufacture	February 2024
Expiry Date/Re-Test Date	February 2029
Molecular Formula	C8H10
Molecular Weight	106.17

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.89%
Density (g/ml) @ 20°C	0.859-0.861	0.859
Refractive Index (20°C)	1.495-1.497	1.495
Boiling Range	137-139°C	137-139°C

FRM/82/11/2/24923 Rev No. 1 Date 01/11/2015

Prepared by **Sujit**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.