



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	53931 - Hydrazine Hydrate extrapure, 80% - [7803-57-8]
Batch No	7797300
Analysis Date	10-Jul-2024
Date of Manufacture	July 2024
Expiry Date/Re-Test Date	July 2029
Molecular Formula	N ₂ H ₄ .H ₂ O
Molecular Weight	50.06

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (T)	min. 80%	80.06%

FRM/82/11/2/53931 Rev No. 1 Date 01/11/2015

Prepared by Rganesh

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.