



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**55219 - Triton X-405 (70% solution) extrapure -
[9036-19-5]**

Batch No

7907642

Analysis Date

11-May-2024

Date of Manufacture

May 2024

Expiry Date/Re-Test Date

May 2029

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
pH 1% in Isopropanol:Water(10:6)	6.0 - 9.0	7.07
Density (g/ml) @ 25°C	1.095 - 1.097 g/ml	1.096 g/ml

FRM/82/11/4/55219 Rev No. 3 Date 11/05/2024

Prepared by Priti

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)