



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	19093 - Allyl Alcohol extrapure, 99% - [107-18-6]
Batch No	7957054
Analysis Date	16-Dec-2023
Date of Manufacture	December 2023
Expiry Date/Re-Test Date	December 2028
Molecular Formula	C ₃ H ₆ O
Molecular Weight	58.08

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.98%
Density (g/ml) @ 20°C	0.850-0.852	0.851
Refractive Index (20°C)	1.411-1.413	1.411
Boiling Range	97-98°C	97-98°C

FRM/82/11/2/19093 Rev No. 2 Date 27/12/2020

Prepared by Rganesh

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.