



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

82361 - Puromycin Dihydrochloride (PRM) for cell culture, Endotoxin (BET) 0.05EU/mg - [58-58-2]

Batch No

7999680

Analysis Date

14-Sep-2022

Date of Manufacture

September 2022

Expiry Date/Re-Test Date

September 2027

Molecular Formula

C₂₂H₂₉N₇O₅.2HCl

Molecular Weight

544.44

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to pale yellow	Pale yellow
Appearance (Form)	Powder	Powder
Assay	min. 98%	99.3%
Melting Point	~180°C	183°C
Suitability for Cell Culture	Passes test	Passes
Bacterial Endotoxin Test (BET) (EU/mg = IU/mg)	<0.05 EU/mg	Passes

FRM/82/11/4/82361 Rev No. 1 Date 23/05/2022

Prepared by Nilesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.