

Certificate of Analysis

Product

49890 - Potassium Citrate Tribasic Monohydrate extrapure AR, 99% - [6100-05-6]

Batch No Analysis Date Date of Manufacture

Expiry Date/Re-Test Date

10-Dec-2023 December 2023

8004133

Molecular Formula Molecular Weight

December 2028 K3C6H5O7.H2O

324.41

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
Assay (NT)	min. 99%	99.4%
pH (5% aq. solution)	8.5 - 9.5	8.7
Chloride (CI)	max. 0.001%	Passes
Sulphate (SO4)	max. 0.005%	Passes
Iron (Fe)	max. 0.0005%	Passes
Heavy Metals (Pb)	max. 0.0005%	Passes
Copper (Cu)	max. 0.0001%	Passes
Oxalate (C2O4)	max. 0.01%	Passes
Readily carbonisable	Passes test	Passes

FRM/82/11/4/49890 Rev No. 2 Date 27/10/2022

Prepared by Yogesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India