



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	68350 - Streptozotocin (STZ) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg - [18883-66-4]
Batch No	8036655
Analysis Date	21-Feb-2022
Date of Manufacture	February 2022
Expiry Date/Re-Test Date	February 2027
Molecular Formula	C8H15N3O7
Molecular Weight	265.22

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off-white to pale yellow	Pale yellow
Appearance (Form)	Crystalline powder	Crystalline powder
Assay	min. 98%	98.6%
Melting Point	~121°C	123°C
Suitability for Cell Culture	Passes test	Passes test
Bacterial Endotoxin Test (BET) (EU/mg = IU/mg)	<0.05 EU/mg	Passes
Not for medicinal use		

FRM/82/11/4/68350 Rev No. 2 Date 17/02/2022

Prepared by **Sonali**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.