



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**24564 - Polyvinylpyrrolidone K90 (Povidone, PVP K-90)
- [9003-39-8]**

Batch No

8127856

Analysis Date

04-Feb-2024

Date of Manufacture

February 2024

Expiry Date/Re-Test Date

February 2029

Molecular Formula

(C₆H₉NO)_n

Molecular Weight

~360000

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off white	Off white
Appearance (Form)	Crystalline powder	Crystalline powder
Nitrogen (N)	11.5% - 12.5%	12.4%
K-value	81.0 - 97.2	92.8
pH (5% aq. solution)	3.0 - 7.0	5.3
Water (KF)	max. 5%	3.0%

FRM/82/11/4/24564 Rev No. 1 Date 04/02/2024

Prepared by **ThakurRohit**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.